

# Anti-LIFR 兔多克隆抗体

K1334428 -20°C



## 产品信息

蛋白质全称	白血病抑制因子受体
别名	LIF receptor, LIF-R, D-factor/LIF receptor, CD118, Lifr, SJS2, STWS, LIF-R
免疫原	小鼠 LIFR 重组蛋白
Uniprot ID	P42703
抗体亚型	IgG
纯化方式	亲和纯化
预测分子量 / 观测分子量	123 kDa / 190 kDa

## 应用

### WB 免疫印迹

物种：小鼠，大鼠

稀释比：1: 500-1: 1000

阳性样品：肝


## 背景

LIFR, also known as CD118, is a subunit of a receptor for leukemia inhibitory factor (LIF). LIF is a pleiotropic cytokine of the interleukin-6 family which affects the differentiation, survival, and proliferation of a wide variety of cells in the adult and the embryo. LIFR is the low-affinity binding chain that, together with the high-affinity converter subunit gp130, forms a high-affinity receptor complex that mediates the action of LIF. The high-affinity complex also binds a related cytokine, oncostatin M. LIFR has also been identified as a breast cancer metastasis suppressor that functions through the HIPPO-YAP pathway.

## 储存条件

**储存条件：**自收到之日起 -20°C下储存一年，避免反复冻融。  
**储存缓冲液：**含 0.15% ProClin300 防腐剂, 100 µg/mL 牛血清白蛋白和 50%甘油的磷酸盐缓冲液。

## 图像



WB 检测 LIFR 蛋白(货号 K1334428).  
 样品: 经 RIPA 裂解液(货号 KSG2002)处理的蛋白质.  
 封闭: 3%脱脂牛奶(货号 KSGC310001)溶于 TBST 溶液,  
 室温孵育 1 小时.  
 一抗: 1: 1000 稀释, 4°C 孵育过夜.  
 二抗: HRP 标记山羊抗兔 IgG (H+L) (货号 KB69909), 1:  
 5000 稀释, 室温孵育 1 小时.

For Research Use Only!

Ver. No.: V1-202603