

Anti-HSPA4 兔多克隆抗体

K1341574 -20°C



产品信息

蛋白质全称	热休克 70kDa 蛋白 4
别名	APG 2, APG2, Heat shock 70 kDa protein 4, HS24/P52, HSP70.4, hsp70RY, HSPA4, RY, Epididymis secretory sperm binding protein Li 5a
免疫原	KLH 偶联的小鼠 HSPA4 合成肽
Uniprot ID	Q61316
抗体亚型	IgG
纯化方式	亲和纯化
预测分子量 / 观测分子量	94 kDa / 120 kDa

应用

WB 免疫印迹

物种：人，小鼠，大鼠

稀释比：1: 2000-1: 4000

阳性样品：卵巢


背景

HSPA4 (also known as Apg-2, HSP70RY) is a 110 kDa cytosolic protein, a member of the heat-shock protein 110 (HSP110) subfamily of HSP70 proteins which are highly conserved chaperons implicated in protein folding, protein refolding, protein transport, and protein targeting. HSPA4 is ubiquitously expressed and its expression is not heat inducible. Overexpression of HSPA4 has been reported in some leukemia and solid tumors. This antibody well recognized the endogenous HSPA4 protein in mouse brain/ testis tissues.

储存条件

储存条件：自收到之日起 -20°C下储存一年，避免反复冻融。
储存缓冲液：含 0.15% ProClin300 防腐剂, 100 µg/mL 牛血清白蛋白和 50%甘油的磷酸盐缓冲液。

图像



WB 检测 HSPA4 蛋白(货号 K1341574).
 样品: 经 RIPA 裂解液(货号 KSG2002)处理的蛋白质.
 封闭: 3%脱脂牛奶(货号 KSGC310001)溶于 TBST 溶液, 室温孵育 1 小时.
 一抗: 1: 2000 稀释, 4°C 孵育过夜.
 二抗: HRP 标记山羊抗兔 IgG (H+L) (货号 KB69909), 1: 5000 稀释, 室温孵育 1 小时.

For Research Use Only!

Ver. No.: V1-202603