

Recombinant Anti-Cytokeratin 1 antibody (兔单克隆抗体)

K5453831 -20°C



产品信息

蛋白质全称	II型细胞角蛋白 1
别名	67 kDa cytokeratin, Cytokeratin-1, Keratin-1, CK-1, K1, Type-II keratin Kb1, Krt1, Krt2-1, EHK1, Keratin type II cytoskeletal 1
免疫原	KLH 偶联的人 Cytokeratin 1 合成肽
Uniprot ID	P04264
抗体亚型	IgG
克隆号	SB630
纯化方式	亲和纯化
亚细胞定位	细胞膜, 细胞质

应用

IHC/IF 免疫组织化学/免疫荧光

物种: 人

稀释比: 1: 500-1: 1000

阳性样品: 乳腺癌, 食管癌


背景

Cytokeratin 1 is a heterotetramer of two type I as well as two type II keratins localized in the cell membrane and is generally associated with keratin-10. It has been suggested to regulate the activity of kinases such as PKC/SRC via binding to integrin beta-1 and the receptor of activated protein kinase C. Cytokeratin 1 and its heterodimer partner KRT10 are the major constituents of 4 intermediate filament cytoskeleton in suprabasal epidermis/keratinocytes, and their upregulation precedes expression of filaggrin and cornified envelope proteins.


储存条件

储存条件: 自收到之日起 -20°C下储存一年, 避免反复冻融。
储存缓冲液: 含 0.15% ProClin300 防腐剂, 100 µg/mL 牛血清白蛋白和 50%甘油的磷酸盐缓冲液。

图像



IF 检测 Cytokeratin 1 蛋白(货号 K5453831)(绿色)。
 样品: 人乳腺癌, 4%多聚甲醛(货号 KSG1101)固定 12-24 小时。
 抗原修复: Tris-EDTA 抗原修复液(pH 9.0)(货号 KSG1203), 水浴 100°C, 25 分钟。
 封闭: 3% BSA (货号 KSGC305010) 的 PBS 溶液, 室温孵育 30 分钟。
 一抗: 1: 800 稀释, 4°C 孵育过夜。
 二抗: Alexa Fluor 488 标记山羊抗兔 IgG (H+L) (货号 KB75909), 1: 400 稀释, 室温孵育 1 小时。



IF 检测 Cytokeratin 1 蛋白(货号 K5453831)(绿色)。
 样品: 人食管癌, 4%多聚甲醛(货号 KSG1101)固定 12-24 小时。
 抗原修复: Tris-EDTA 抗原修复液(pH 9.0)(货号 KSG1203), 水浴 100°C, 25 分钟。
 封闭: 3% BSA (货号 KSGC305010) 的 PBS 溶液, 室温孵育 30 分钟。
 一抗: 1: 800 稀释, 4°C 孵育过夜。
 二抗: Alexa Fluor 488 标记山羊抗兔 IgG (H+L) (货号 KB75909), 1: 400 稀释, 室温孵育 1 小时。

For Research Use Only!

Ver. No.: V1-202603